

USE IT TO

# KILL ANTS & COCKROACHES

AND CREATE A SUSTAINABLE TREATMENT PROGRAM.

Ants, cockroaches, crickets, silverfish, slugs and snails all consume Niban bait. Non-target species, such as birds, mammals, amphibians and reptiles, don't.

The active ingredient in Niban disrupts the metabolic process in the target pests' guts, giving you the control you need. This metabolic disruption is specific to insects and gastropods. On top of that, Niban has no known resistance to target pests.

Niban helps create a sustainable treatment program - and *that* helps you build a sustainable business.



Remember, always read, understand and comply with the label. Niban and Nisus Corporation are registered trademarks of Nisus Corporation. ©2017 Nisus Corporation #NI-FLY-0117

## APPLICATION:

Scatter granular bait around perimeter of structures and near heavy infestations or entry points. Inside, use Niban in wall voids and under cabinets & appliances.

## TARGET PESTS:



ANTS



COCKROACHES



CRICKETS



SILVERFISH



CREATING A WORLD  
OF SUSTAINABILITY.



100 NISUS DRIVE • ROCKFORD, TN 37853  
800.264.0870 • WWW.NISUSCORP.COM

**NIBAN®**

ACTIVE INGREDIENT:  
5% ORTHOBORIC ACID



**A Weather/Moisture Resistant Bait to Kill and Control Ants (except fire ants), Carpenter Ants, Cockroaches, Crickets, Mole Crickets, Earwigs, Silverfish, Snails and Slugs**

**ACTIVE INGREDIENT:**

Orthoboric Acid.....	5.0%
<b>OTHER INGREDIENTS .....</b>	<b>95.0%</b>
<b>TOTAL.....</b>	<b>100.0%</b>

EPA Reg. No. 64405-2

EPA Est. 64405-TN-1

**FOR BOTH INTERIOR AND EXTERIOR USE**

Above-ground Transformers, Aircraft, Apartments, Apartment Buildings, Boats, Buses, Campgrounds, Camps, Cemeteries, Factories, Federally Inspected (USDA) Meat and Poultry Plants, Flower Gardens, Food Handling - Establishments, Food Processing Plants, Garages, Greens of Golf Courses, Grocery Stores, Groundcovers, Homes, Home Lawns, Hospitals, Hotels, -Industrial Plants, In-ground Utility Boxes, Interiorscapes, Kennels, Lath Houses, Lawns, Libraries, Markets, Military Bases, Mobile Homes, Motels, New Construction, Nursing Homes, Offices, - Ornamental Home Greenhouses, Ornamental Turf, Ornamentals, Other Structures, Parks, Pedestal Boxes, Pet Stores, Picnic Areas, Playing Fields, Public and Private Institutions, Recreational Turf, Recreational Vehicles, Restaurants, Restaurants (non-food areas), Schools, Sewers, Ships, Shrubs, Stores, Supermarkets, Theaters, Trains, Trucks, Utilities, Vending Machines, Warehouses, Yachts, Zoos

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Applicators and handlers must wear: Long-sleeved shirt and long pants; water-proof gloves; and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables are given, use detergent and hot water.

**USER SAFETY RECOMMENDATIONS**

**Users should:**

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside; then thoroughly wash and put on clean clothing.
- Immediately remove PPE after handling this product. Wash the outside of gloves before removing. As soon as possible, thoroughly wash and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**GENERAL INFORMATION**

This product is a ready-to-use, weather/moisture resistant bait that controls and kills Ants (except fire ants), Cockroaches, Crickets, Earwigs, Silverfish, Snails and Slugs, specifically: **ANTS:** Argentine, Carpenter, Thief, Pharaoh, Little Black, Pavement, Odorous House and Crazy Ants. **COCKROACHES:** Asian, American, Brown, Brownbanded, Smokeybrown, German and Oriental Cockroaches. **CRICKETS:** Camel, House, Field and Mole Crickets. **SNAILS AND SLUGS. EUROPEAN EARWIGS.**

Do not contaminate this product with other pesticides. If this product becomes contaminated with another pesticide it will lose its effectiveness. Do not apply directly to food and avoid contamination of feed and foodstuff. In commercial food handling facilities, cover or remove any food during application. In food handling and other areas, bait may be placed in removable bait

**First Aid**

<b>If in Eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on Skin:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Immediately rinse with plenty of water for 15 – 20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor or going for treatment..	

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans & Domestic Animals**

**CAUTION:** Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

stations. Always record the number and location of bait stations. This product is designed to be used as a residual treatment in an Integrated Pest Management program incorporating good sanitation practices. This product may be applied in appropriate areas with a power duster (except in California). Consult equipment manufacturer for recommended settings. Keep children and pets out of treatment area until application has been completed. Do not treat pets with this product. Avoid over-application around ornamental plants and fish ponds. Do not apply this product in combination with fertilizers, other pesticides or other biologically-active materials.

#### **APPLICATION INSTRUCTIONS**

**To Control and Kill Ants (except fire ants), Cockroaches, Crickets, Mole Crickets, Snails and Slugs on Campgrounds, Cemeteries, Greens of Golf Courses, Home Lawns, Lawns, Ornamental Turf, Parks, Picnic Areas, Playing Fields and Recreational Turf:** Apply bait evenly to affected areas at the rate of 2 pounds per 1,000 square feet (3.2 ounces or 2/3 cup per 100 square feet) or 90 pounds per acre. **When treating for mole crickets:** Thoroughly irrigate treatment areas in the late afternoon prior to application. For maximum effectiveness, do not irrigate treated area immediately after application.

**Exterior Baiting to Control and Kill Snails and Slugs in Flower Gardens and Around Ornamentals, Ground-covers and Shrubs:** At the beginning of the spring planting season (before damage occurs), broadcast 6 ounces per 100 square feet in areas likely to be infested with snails and slugs. It is best to apply the bait during early morning or evening when slugs and snails are present and eating. Reapply every four weeks for satisfactory control.

**To Control and Kill Snails and Slugs in Ornamental Home Greenhouses and Lath Houses:** Evenly distribute granules on and under benches at the rate of 6 ounces per 100 square feet. Do not place in flats or pots.

**To Control and Kill Snails and Slugs in Interiorscapes or Ornamental Gardens:** Evenly apply bait to soil at a rate of 6 ounces per 100 square feet no more than once every 4 to 6 weeks.

**Exterior Baiting to Control and Kill Ants (except fire ants), Including Carpenter Ants, Around Apartment Buildings, Food Processing Plants, Garages, Homes, Hospitals, Hotels, Kennels, Motels, Pet Stores, Public & Private Institutions, Recreational Vehicles, Restaurants, Schools, Supermarkets, Warehouses and Other Structures:** Treat exterior perimeter areas of structure in a band 2 to 4 feet wide at a rate of 6 ounces per 100 square feet. Also apply product in a 2 to 4 foot band around all trees, stumps, firewood piles and other locations where carpenter ants may nest. If the nest is located in a hollow tree or stump, apply 1/2 to 1 ounce of product directly into the cavity. Apply along ant trails and in areas where ant activity has been noted.

**To Control and Kill Ants (except fire ants), Cockroaches, Crickets, Earwigs and Silverfish Within and Around the Exterior of Structures such as Apartment Buildings, Food Processing Plants (non-food areas),**

**Garages, Homes, Hospitals, Hotels, Kennels, Motels, Pet Stores, Public & Private Institutions, Recreational Vehicles, Restaurants (non-food areas), Schools, Sewers, Stores, Supermarkets and Warehouses:** Apply at a rate of 4 pounds per 1000 square feet (6 ounces or 1-1/4 cups per 100 square feet) of surface area. Spread evenly in crawl spaces, attics, drop ceilings and cellars with dirt or gravel floors. Concentrate application in areas where insect activity is most prevalent. In attics, be sure to apply in eaves and access drains. In warehouses, garages and basements, concentrate application along walls and baseboards. This product may also be applied in inaccessible areas such as cracks and crevices where insects may hide. Any bait visible after application must be brushed into cracks and crevices or removed. Apply in pits of elevator, dumbwaiter and trash chute shafts. Apply under and behind pallets and boxes in storerooms. Bait may also be placed in removable bait stations in areas accessible to insects but inaccessible to children and pets. Always record the location and number of bait stations. Regularly inspect bait stations and replace bait as needed. In sewers, apply along ledges and around manhole entrances. Treat exterior perimeter building walls in a band approximately 2 feet wide and scatter bait in flower beds, leaf litter, wood piles, trash cans and refuse areas. Reapply as necessary.

**For treating new construction:** Apply in wall voids and other areas where insects may hide.

**For perimeter treatments:** Spread bait at a rate of 6 ounces or 1-1/4 cups per 100 square feet in a band at least 2 feet wide around foundations, patios, driveways, sidewalks, entrances to homes and buildings, or other areas where insects are present. Apply around landscape lighting, floodlights, street lamps or other exterior fixtures and scatter bait in flower beds, leaf litter, wood piles, trash cans and refuse areas. Reapply as necessary.

**For treating ant mounds:** Apply 1/2 to 1 ounce of this product around all ant mounds. Supplement by broadcast application in immediate area and along ant trails and in areas where ant activity has been noted.

**To Control and Kill Ants (except fire ants), Cockroaches, Crickets, Earwigs and Silverfish in: Aircraft, Apartment Buildings, Apartments, Boats, Buses, Camps, Factories, Food Handling Establishments, Food Processing Plants, Garages, Grocery Stores, Homes, Hospitals, Hotels, Industrial Plants, Kennels, Libraries, Markets, Military Bases, Mobile Homes, Motels, New Construction, Nursing Homes, Offices, Pet Stores, Private & Public Institutions, Recreational Vehicles, Restaurants, Schools, Sewers, Ships, Supermarkets, Theaters, Trains, Trucks, Utilities, Warehouses, Yachts and Zoos:** Food area application limited to only crack and crevice treatment. Apply only in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs. Apply, scattering/dusting under and behind refrigerator, cooler, stove, sink, dishwasher, washing

machine and dryer tubs; counters; into openings around drains, water pipes and electrical conduits; and in cracks and crevices along baseboards and corners of cabinets, counter tops, cupboards and closets. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then scatter/dust in drawer wells. Bait may also be applied into and around areas of insect infestation of **above-ground transformers, in-ground utility boxes, pedestal boxes and vending machines**. Any bait visible after application must be brushed into cracks and crevices or removed. Reapply as necessary. Bait may also be placed in bait stations in areas accessible to insects but inaccessible to children and pets. Always record the location and number of bait stations. Regularly inspect bait stations and replace bait as needed.

**Crack and Crevice Applications In Aircraft, Apartment Buildings, Apartments, Boats, Buses, Camps, Factories, Food Handling Establishments, Food Processing Plants, Garages, Grocery Stores, Homes, Hospitals, Hotels, Industrial Plants, Kennels, Libraries, Markets, Military Bases, Mobile Homes, Motels, New Construction, Nursing Homes, Offices, Pet Stores, Private & Public Institutions, Recreational Vehicles, Restaurants, Schools, Sewers, Ships, Supermarkets, Theaters, Trains, Trucks, Utilities, Warehouses, Yachts and Zoos:** Crack and crevice applications may be made using most types of dust applicators. A bellows type duster works best. Insert stem into gaps, cracks and crevices and apply 2 to 6 puffs per lineal foot, depending upon the severity of the infestation. Any bait visible after application must be brushed into cracks and crevices or removed. Drill small holes to gain access into wall voids and under cabinets. This product may also be applied in appropriate areas with a power duster (except in California). Consult equipment manufacturer for recommended settings

**Application Sites and Directions:**

1. Apply under and behind appliances in kitchens, bathrooms and utility rooms (remove kick plates if possible).
2. Kitchen and bathroom cabinets and vanities often have a space between the floor and the bottom drawer or cabinet. If a gap exists along the top of the kickplate, dust this product into the void area. If no gaps are present, drill a small hole every two feet along the kickplate drilling at least one hole under each cabinet and apply this product through the holes.
3. Apply in voids around plumbing pipes behind water heaters and under sinks in kitchens, bathrooms, showers and utility rooms. Pull back escutcheon plates around pipes to allow access to the void.
4. Remove electrical wall socket and switch covers and dust product around boxes and into voids. Do not apply product directly into electrical switch and outlet boxes.
5. Cracks or spaces between the wall and doorframes, cabinets, counter tops, molding or baseboards provide excellent hiding places for roaches and ants. Dust a small amount of this product into these areas wherever possible.
6. Apply under and behind vending machines. If access can be gained to the interior of the machine, apply around the

interior base, being careful not to contaminate any foodstuffs.

**To Control and Kill Cockroaches, Crickets, Ants, Earwigs and Silverfish in Federally-inspected (USDA) meat and poultry plants:** For application only in inedible product areas and non-processing areas as a crack and crevice treatment. Apply to cracks and crevices in areas such as around baseboards and in closets; beneath cabinets and appliances, in and around waste containers and into openings around drains, water pipes and electrical conduits. Any bait visible after application must be brushed into cracks and crevices or removed. Avoid contamination of feed and foodstuffs. Bait stations may be used. Always record the number and location of bait stations. Regularly inspect bait stations and replace bait as needed. This product is best used as a supplemental residual treatment preceded by approved spray and good sanitation practices.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a dry place. Do not store where children or animals may gain access. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Non-refillable container; do not reuse or refill this container. Completely empty container into application equipment, then offer for recycling, if available; otherwise dispose of empty container in a sanitary landfill or by incineration.

**WARRANTY DISCLAIMER**

To the extent not prohibited by applicable law, Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. To the extent not prohibited by applicable law, **MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

**Inherent Risks of Use**

The directions for use are believed to be adequate and must be carefully followed. It is impossible to eliminate all risks associated with use of this product. Lack of performance or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions, the presence of other materials, climatic conditions or the manner of application, all of which are beyond the control of the Manufacturer. To the extent not prohibited by applicable law, the buyer/user assumes all such risks.

**Limitation of Remedies**

To the extent not prohibited by applicable law the exclusive remedy for losses or damages resulting from this product (including claims based on contract,

negligence, strict liability or other legal theories) shall be limited to, at Manufacturer's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

To the extent not prohibited by applicable law: a) Manufacturer shall not be liable for losses or damages resulting from handling or use of this product unless Manufacturer is promptly notified of such loss or damage in writing; and b) **TO THE EXTENT NOT PROHIBITED BY APPLICABLE LAW, IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OR LOSSES, INCLUDING**

**WITHOUT LIMIT, HEALTH RELATED DAMAGES OR INJURIES.**

The terms of this **Warranty Disclaimer** and **Limitation of Remedies** cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Manufacturer or the seller is authorized to vary or exceed the terms of this **Warranty Disclaimer** or **Limitation of Remedies** in any manner.

It is not intended that this product be used to practice any applicable patent, whether mentioned or not, without procurement of a license if necessary from the owner following investigation by the user.

SPECIMEN LABEL



100 Nisus Drive • Rockford, TN 37853 USA • 800-264-0870

Niban and Nisus Corporation are registered trademarks of Nisus Corporation.

©2016 Nisus Corporation # NB-SL-0216a-SAL020515



# SAFETY DATA SHEET



**Health Emergencies: INFOTRAC® (800) 535-5053**

## 1. PRODUCT AND COMPANY INFORMATION

**Product Identity:** Niban® Granular Bait

**Recommended use of the chemical and restrictions on use:** A weather/moisture resistant bait to kill and control ants (except fire ants), carpenter ants, cockroaches, crickets, mole crickets, earwigs, silverfish, snails, and slugs. Read and understand the entire label before using. Use only according to label directions. It is a violation of Federal law to use this product in a manner inconsistent to label directions.

**Manufacturer:** Nisus Corporation  
100 Nisus Drive  
Rockford, TN 37853

**Telephone:** Phone: (800) 264-0870  
Fax: (865) 577-5825

**Emergency Phone:** 800-535-5053 (INFOTRAC)

**SDS Date of Preparation:** 1/12/16

## 2. HAZARDS IDENTIFICATION

**GHS Classification:**

Physical	Health	Environment
Not Hazardous	Acute Toxicity Oral Category 4 Specific Target Organ Toxicity – Repeat Exposure Category 2	Aquatic Acute Toxicity Category 3

**GHS Label Elements:**

None Required

**Statements of Hazard**

None Required

**Precautionary Statements**

None Required

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No.	Amount
Boric Acid	10043-35-3	5%
Non-Hazardous Ingredient	Proprietary	95%

The exact formulation is being withheld as a trade secret.

## 4. FIRST AID MEASURES

**Eye:** Flush victim's eyes with large quantities of water, while holding the eyelids apart. Get medical attention if irritation develops or persists.

**Skin:** Wash skin thoroughly with soap and water. Get medical attention if irritation develops. Remove and launder clothing before re-use.

**Ingestion:** Do not induce vomiting unless directed to do so by a medical professional. Get medical attention for large ingestions or if symptoms develop or if you feel unwell.

**Inhalation:** Remove victim to fresh air. If breathing is difficult or irritation persists, get medical attention.

**Most important Symptoms:** May cause eye and skin irritation. Inhalation of mists may cause mild mucous membrane and respiratory irritation. Harmful if swallowed. Repeated ingestion may cause kidney damage.

**Indication of immediate medical attention/special treatment:** Immediate medical attention is required for large ingestions.

## 5. FIRE FIGHTING MEASURES

**Suitable (and Unsuitable) Extinguishing Media:** Use media appropriate for surrounding fire.

**Specific hazards arising from the chemical:** Fine particles may present an explosion hazard if suspended in air. Burning may produce carbon monoxide and carbon dioxide.

**Special Protective Equipment and Precautions for Fire-Fighting Instructions:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing. Contain runoff.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment, and Emergency Procedures:** Wear appropriate protective clothing as described in Section 8. Do not apply directly to water or contaminate water.

**Methods and Materials for Containment and Cleaning Up:** Collect and place in appropriate containers for disposal. Avoid generating dust. Clean spill area thoroughly. Prevent spill from entering sewers and watercourses. Report releases as required by local, state and federal authorities.

## 7. HANDLING AND STORAGE

**Precautions for Safe Handling:** Avoid contact with the eyes, skin and clothing. Avoid breathing dusts. Wear protective clothing and equipment as described in Section 8. Wash thoroughly with soap and water after handling. Remove contaminated clothing immediately and wash before reuse. Remove PPE immediately after handling. Wash thoroughly after using and change into clean clothing. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Keep containers closed when not in use. Refer product label for additional information on use and handling.

Nonrefillable container. Do not reuse containers. Product residues in empty containers can be hazardous. Follow all SDS precautions when handling empty containers.

**Conditions for Safe Storage, Including Any Incompatibilities:**

Store in a dry area away from incompatible materials. Do not store where children or animals may gain access.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines:**

Boric Acid	2 mg/m <sup>3</sup> TWA ACGIH TLV (inhalable) 6 mg/m <sup>3</sup> STEL ACGIH TLV (inhalable)
------------	---

**Engineering Controls:** Use with adequate ventilation to maintain exposure levels below the occupational exposure limits. Refer product label for additional information.

**Respiratory Protection:** In operations where exposure levels are exceeded, a NIOSH approved respirator with dust/mist cartridges appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with OSHA 1910.134 and good industrial hygiene practice. Refer to the product label for additional information.

**Skin Protection:** Use gloves for normal application of this product.

**Eye Protection:** Wear safety glasses to prevent eye contact.

**Other:** Wear long-sleeve shirts, long pants, socks and shoes when using this product. Suitable washing facilities should be available in the work area.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance And Odor:** Brown, granular particles with no odor.

**Physical State:** Granular particles **Odor Threshold:** Not established

**Vapor Density:** Not determined

**Initial Boiling Point/Range:** Not determined

**Solubility In Water:** Not soluble **Vapor Pressure:** Negligible

**Relative Density:** 0.62 of water **Evaporation Rate:** N/A

**Melting/Freezing Point:** N/A

**Percent Volatile:** Minimal **pH:** N/A

**Solubility:** Not soluble **Octanol/Water Coefficient:** N/A

**Viscosity:** N/A **Decomposition Temperature:** N/A

**Flammability (solid, gas):** Fine dust may form explosive mixtures in air

**Flashpoint:** >451°F (233°C) TOC **Autoignition Temperature:** None

**Flammable Limits:** LEL: Not determined UEL: N/A

## 10. STABILITY AND REACTIVITY

**Reactivity:** Not normally reactive

**Chemical Stability:** Stable under normal storage and handling conditions.

**Possibility of Hazardous Reactions:** None known.

**Conditions to Avoid:** Avoid generating fine dust.

**Incompatible Materials:** None known

**Hazardous Decomposition Products:** When heated to decomposition emits carbon monoxide and carbon dioxide.

## 11. TOXICOLOGICAL INFORMATION

### HEALTH HAZARDS:

**Ingestion:** May be harmful if large quantities are ingested.

**Inhalation:** Inhalation of dust may cause irritation of the nose, throat and upper respiratory tract.

**Eye:** May cause slight irritation.

**Skin:** Not expected to cause irritation.

**Chronic:** Borates have been shown to have some chronic toxicity in animals fed high doses, but this has not been found in humans.

**Sensitization:** This material is not expected to cause sensitization.

**Carcinogenicity:** None of the components is listed as a carcinogen or suspected carcinogen by IARC, NTP or OSHA.

**Germ Cell Mutagenicity:** No data available

**Reproductive Toxicity:** Borates have been found to have some reproductive toxicity in animals, but this has not been found in humans.

### Numerical Measures of Toxicity:

Product Toxicity Data:

Oral rat LD<sub>50</sub>: >5000 mg/kg; Dermal rabbit LC<sub>50</sub>: >5050 mg/kg

## 12. ECOLOGICAL INFORMATION

This product breaks down naturally in the environment to provide organic matter and boron micro nutrients. Boron occurs naturally in sea water at an average concentration of 5 mg B/l and fresh water at 1 mg B/l or less. In dilute aqueous solutions the predominant boron species present is undissociated boric acid.

### Ecotoxicity:

EC<sub>10</sub> Green Algae: 24 mg B/l; LC<sub>50</sub> *Daphnia magna*: 530 mg B/l/96 hr; LC<sub>50</sub> Dab: 74 mg B/l/48hr; LC<sub>50</sub> Rainbow Trout: 88 mg B/l/24hr; LC<sub>50</sub> Goldfish: 71 mg B/l/72hr

**Persistence and Degradability:** Boron is naturally occurring and ubiquitous in the environment. Niban decomposes in the environment to natural borate.

**Bioaccumulative Potential:** Not determined.

**Mobility in Soil:** Boric acid is soluble in water and is leachable through normal soil.

**Other Adverse Effects:** Some plants are sensitive to boron. This product is designed to be used for certain types of insects. Use product only as directed on the label. See product label for full instructions and restrictions on use.

## 13. DISPOSAL CONSIDERATION

Dispose in accordance with local, state and federal environmental regulations. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Non-refillable container: do not reuse or refill this container. Completely empty container into application equipment, then offer for recycling, if available; otherwise dispose of empty container in a sanitary landfill or by incineration. For guidance contact your state water board or regional office of the EPA.

## 14. TRANSPORTATION INFORMATION

**DOT Hazardous Materials Description:** Not Regulated  
Sea Transport IMDG, not classified as dangerous  
Air Transport IATA/ICAO, not classified as dangerous

## 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

### FIFRA Labeling:

**Niban Granular Bait**  
**EPA Reg. No. 64405-2**  
**Keep Out of Reach of Children**  
**CAUTION**

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans & Domestic Animals

Caution: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

**CERCLA:** This product is not subject to reporting under CERCLA. Some states have more stringent reporting requirements. Report all spills in accordance with local, state, and federal regulations.

**SARA Hazard Category (311/312):** Not hazardous

**SARA 313:** This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372):

None

**EPA TSCA Inventory:** This product is regulated under FIFRA, thus exempt.

## 16. OTHER INFORMATION

### NFPA Rating:

Health = 0      Flammability = 0      Instability = 0

### HMIS Rating:

Health = 1      Flammability = 0      Physical Hazard = 0

**SDS Revision History:** 01/07/14: New SDS  
01/12/16: Revised

### WARRANTY DISCLAIMER

The information, data and recommendations contained herein are believed to be accurate but may not be all inclusive and should only be used as a guide. The information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the product for his particular use and on condition that they assume the risk of the use thereof. With respect to this publication and the product related thereto, unless otherwise expressly provided by Manufacturer in writing, **MANUFACTURER MAKES NO EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

### Remedy/Liability Limits

The exclusive remedy for losses or damages resulting from this publication or the related product (including claims based on contract, negligence, strict liability or other legal theories) shall be limited to, at Manufacturer's sole election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

Manufacturer shall not be liable for losses or damages resulting from use of this publication or handling or use of this product, **IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OR LOSSES, INCLUDING WITHOUT LIMIT, HEALTH RELATED DAMAGES OR INJURIES.**

The terms of this **Warranty Disclaimer** and **Remedy/Liability Limits** cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Manufacturer or the seller is authorized to vary or exceed the terms of this **Warranty Disclaimer** or **Limitation of Remedies** in any manner.



100 Nisus Drive • Rockford, TN 37853 USA • (800) 264-0870

Niban and Nisus Corporation are registered trademarks of Nisus Corporation. ©2016 • #NB-SDS-011216a



100 Nisus Drive • Rockford, TN 37853  
800-264-0870